

Date: Ref: شماره: ۲۲-۰۱۰۴۴ تاریخ: ۱۴۰۱/۰۱/۲۳

موضوع: مناقصه اقلام پیچ و مهره

شرکت توسعه پست‌های ایران ترانسفو در نظر دارد اقلام درخواستی را به شرح جدول پیوست مطابق زمانبندی های اعلام شده از طریق مناقصه به پیشنهاد دهنده با بهترین شرایط واگذار نماید. شرایط شرکت در مناقصه به شرح زیر می باشد:

۱. ارائه پاکت مخصوص ارسال مدارک با محتویات مربوطه.
۲. به پیشنهادات مبهم، بدون امضاء، دریافت شده پس از موعد مقرر، فاقد سپرده و شروطی که موجب تنزل کیفیت فنی و یا افزایش بار مالی باشد ترتیب اثر داده نخواهد شد.
۳. پیشنهادات رسیده در کمیسیون معاملات مفتوح و از بین پیشنهادات، پیشنهادی که از نظر فنی مورد قبول و دارای قیمت پیشنهادی پائین باشد برنده اعلام خواهد شد.
۴. هر گونه مالیات، عوارض و کسورات قانونی به عهده برنده مناقصه می باشد، که در صورت لزوم در موقع پرداخت از بهای کالا یا صورت کارکرد کسر گردیده و به نام برنده مناقصه به سازمان مربوطه پرداخت خواهد شد.
۵. در صورتیکه برنده مناقصه حاضر به انجام معامله نگردد سپرده وی ضبط و با نفر دوم معامله صورت می پذیرد و در صورتی که برنده دوم نیز از معامله امتناع ورزد سپرده وی نیز ضبط خواهد شد.
۶. سپرده مناقصه یا ضمانت نامه نفرات اول تا سوم تا مرحله عقد قرارداد نزد شرکت توسعه پست‌های ایران ترانسفو باقی خواهد ماند و برای نفرات غیر برنده حداکثر ۴۵ روز پس از بازگشائی پاکتها آزاد خواهد شد.
۷. هیچ پیشنهاد دهنده حق تماس با خریدار از زمان بازگشائی پاکتها تا مرحله انعقاد قرارداد یا قطعی شدن سفارش را ندارد.
۸. هر گونه اعمال نفوذ در بررسی فنی و بازرگانی توسط پیشنهاد دهنده از هنگام بازگشائی پاکتها تا انعقاد قرارداد برای خریدار منجر به رد پیشنهاد خواهد شد.
۹. پیشنهادات قیمت بایستی خوانا و بدون قید و شرط در داخل پاکت در بسته و تا پایان وقت اداری ۱۴۰۱/۰۱/۳۱ روز چهارشنبه به واحد خرید شرکت توسعه پست‌های ایران ترانسفو تحویل گردد.
۱۰. بهای هر محموله دریافتی ۴۰ روز پس از تأیید آن به فروشنده پرداخت خواهد شد.
۱۱. محل تحویل کالا درب کارخانه زنجان (توسعه پست‌های ایران ترانسفو) بوده و کلیه هزینه های مربوطه اعم از حمل و نقل، بارگیری خرج بنگاه، باسکول، بیمه و ... به عهده فروشنده می باشد که بایستی در قیمت پیشنهادی لحاظ گردد.
۱۲. در صورت تشخیص توسعه پست‌های ایران ترانسفو، بازرسی در محل محموله، قبل از حمل انجام خواهد شد.
۱۳. این شرکت از دریافت مقدار مازاد بر نیاز معذور بوده و مقدار مازاد به هزینه تامین کننده عودت خواهد شد.
۱۴. این شرکت حق واگذاری کل آیتم های مناقصه و یا واگذاری به صورت تفکیک شده را برای خود محفوظ می دارد.
۱۵. شرکت توسعه پست‌های ایران ترانسفو در افزایش یا کاهش میزان درخواست مختار است. (تا سقف ۲۵٪)
۱۶. شرکت توسعه پست‌های ایران ترانسفو در رد یا قبول کلیه و یا هر یک از پیشنهادات مختار است.
۱۷. بازگشایی پاکات بصورت غیر حضوری انجام خواهد شد.
۱۸. سایر اطلاعات و جزئیات در اسناد مناقصه مندرج می باشد.
۱۹. هزینه چاپ آگهی به عهده برنده مناقصه می باشد.

موارد فوق رؤیت گردید و مورد قبول اینجانب ..... مدیر مسئول یا نماینده تام الاختیار شرکت / فروشگاه ..... می باشد.

نام و نام خانوادگی، امضاء و مهر شرکت

مدارک لازم جهت شرکت در مناقصه شماره ۲۲-۰۱۰۴۳

اقدام کننده: آرش زنگانی داخلی ۱۳۱

South Dey St., No. 1 Industrial Zone, Zanjan / Iran  
P.O. Box: 45331-44637  
Tel: +98 24 32223001-2  
+98 24 32223032  
Fax: +98 24 32223017



زنجان، شهرک صنعتی شماره یک، انتهای بلوار پروفیسور ثبوتی،  
فیابان دی منوبی، کد پستی: ۴۵۳۳۱-۴۱۴۶۳۷  
تلفن: ۰۲۴ ۳۲۲۲۳۰۰۱-۲  
۰۲۴ ۳۲۲۲۳۰۳۲  
فاکس: ۰۲۴ ۳۲۲۲۳۰۱۷

- Date: تاریخ: ۱۴۰۱/۰۱/۲۳ شماره: ۲۲-۰۱۰۰۴۴ Ref: شماره حساب شماره ۵۶۹۰۱۳۱۵ بانک ملت شعبه خرمشهر
۱. فیش واریزی یا ضمانت نامه بانکی به مبلغ ۱۰۰/۰۰۰/۰۰۰ ریال به حساب شماره ۵۶۹۰۱۳۱۵ بانک ملت شعبه خرمشهر بنام شرکت توسعه پست‌های ایران ترانسفو.  
(لطفاً اطلاعات کامل از قبیل نام اشخاص حقیقی / حقوقی ، کدملی / شناسه ملی ، کد اقتصادی اشخاص حقوقی ، آدرس و تلفن پشت فیش واریزی قید گردد.)
  ۲. ارائه سوابق کاری مرتبط و رضایت نامه از کارفرمایان سابق.
  ۳. روزنامه رسمی و آخرین آگهی تصمیمات و تغییرات .
  ۴. پاکت ( الف ) حاوی مدارک مذکور در بندهای ۱ تا ۳ ، مشخصات فنی و برگ تائید شده شرایط شرکت در مناقصه .
  ۵. پاکت ( ب ) حاوی قیمت پیشنهادی.
  ۶. ارائه قیمت می بایستی در برگ اعلام بهاء شرکت توسعه پست‌های ایران ترانسفو که حاوی نوع و مقدار کالا و زمانبندی می باشد ، انجام پذیرد.
  ۷. پاکت الف و ب باید بصورت در بسته و لاک و مهر شده در پاکت مخصوص ارسال مدارک قرار گرفته و توسط پست پیشتاز و یا بصورت دستی به نحوی ارسال شوند که حداکثر تا تاریخ ۱۴۰۱/۰۱/۳۱ از طریق آدرس زیر دریافت گردد .

آدرس : زنجان - شهرک صنعتی شماره یک ( علی آباد ) ، انتهای بلوار پرفسور ثبوتی -

خیابان دی جنوبی

واحد خرید توسعه پست‌های ایران ترانسفو

صندوق پستی : ۴۵۳۳۱-۵۵۸۹۵

اقدام کننده : آرش زنگانی      تلفن : ۰۲۴-۳۲۲۲۳۰۰۱ داخلی ۱۳۱

اقدام کننده: آرش زنگانی داخلی ۱۳۱

South Dey St., No. 1 Industrial Zone, Zanjan / Iran

P.O. Box: 45331-44637

Tel: +98 24 32223001-2

+98 24 32223032

Fax: +98 24 32223017



زنجان، شهرک صنعتی شماره یک، انتهای بلوار پرفسور ثبوتی،

خیابان دی جنوبی، کد پستی: ۴۵۳۳۱-۴۴۶۳۷

تلفن: ۰۲۴ ۳۲۲۲۳۰۰۱-۲

۰۲۴ ۳۲۲۲۳۰۳۲

فاکس: ۰۲۴ ۳۲۲۲۳۰۱۷

| ردیف | کد کالا       | نام کالا  | واحد | مقدار | توضیحات                 |
|------|---------------|---|------|-------|-------------------------|
| ۱    | ۳۱۰۰۱۰۱۸۲۵۴   | پیچ اتافی گالوانیزه زرد m10*30                    | عدد  | ۵۰۰۰  | DIN EN ISO 8678/DIN 603 |
| ۲    | ۳۱۰۰۱۰۱۸۱۶۸   | پیچ اتافی گالوانیزه زرد m6*20                     | عدد  | ۱۵۰۰۰ | DIN EN ISO 8678         |
| ۳    | ۳۱۰۰۱۰۱۸۱۷۳   | پیچ اتافی گالوانیزه زرد m8*20                     | عدد  | ۷۰۰۰۰ | DIN EN ISO 8678         |
| ۴    | ۳۱۰۰۱۰۰۶۱۲۹   | پیچ النی مغزی سیاه m5*10                          | عدد  | ۲۰۰   | DIN 913/DIN 914/DIN 915 |
| ۵    | ۳۱۰۰۱۰۰۱۴۳۲۲  | پیچ خزینه ای سرمته ای 4*40                        | عدد  | ۱۳۰۰  | DIN 7504                |
| ۶    | ۳۱۰۰۱۰۰۱۵۳۰۱  | پیچ خزینه ای گالوانیزه زرد m6*30 تخت              | عدد  | ۱۵۰۰  | DIN EN ISO 7046         |
| ۷    | ۳۱۰۰۱۰۰۱۶۰۵۶  | پیچ خودرو گالوانیزه 5*10                          | عدد  | ۹۰۰۰  | DIN 7981/ISO 7049       |
| ۸    | ۳۱۰۰۱۰۰۱۰۱۵۰  | پیچ سر استوانه ای با شیار تخت گالوانیزه زرد m4*10 | عدد  | ۱۲۰۰  | DIN 7985/ ISO 7045      |
| ۹    | ۳۱۰۰۱۰۰۱۰۱۰۷  | پیچ سرخزینه گالوانیزه زرد 5*15                    | عدد  | ۶۰۰۰  | or M5*16                |
| ۱۰   | ۳۱۰۰۱۰۰۱۵۳۰۲  | پیچ سرخزینه گالوانیزه زرد m6*20                   | عدد  | ۲۰۰۰۰ | DIN EN ISO 7046         |
| ۱۱   | ۳۱۰۰۱۰۰۱۴۳۱۴  | پیچ سرمته ای گالوانیزه و اشردار m4*15             | عدد  | ۲۰۰۰۰ | DIN EN ISO 15480        |
| ۱۲   | ۳۱۰۰۱۰۰۰۲۰۸۰  | پیچ شش گوش استیل m6*25 A2-70                      | عدد  | ۷۰۰۰  | DIN 933                 |
| ۱۳   | ۳۱۰۰۱۰۰۰۲۱۶۹  | پیچ شش گوش استیل m8*30 A2-70                      | عدد  | ۵۰۰۰  | DIN 933                 |
| ۱۴   | ۳۱۰۰۱۰۰۰۲۱۵۸  | پیچ شش گوش گالوانیزه زرد m10*25                   | عدد  | ۲۵۰۰  | DIN 933                 |
| ۱۵   | ۳۱۰۰۱۰۰۰۲۱۶۰  | پیچ شش گوش گالوانیزه زرد m10*30                   | عدد  | ۱۰۰۰۰ | DIN 933                 |
| ۱۶   | ۳۱۰۰۱۰۰۰۲۰۲۵  | پیچ شش گوش گالوانیزه زرد m10*35                   | عدد  | ۶۰۰۰  | DIN 933                 |
| ۱۷   | ۳۱۰۰۱۰۰۰۲۱۶۴  | پیچ شش گوش گالوانیزه زرد m10*40                   | عدد  | ۱۷۰۰۰ | DIN 933                 |
| ۱۸   | ۳۱۰۰۱۰۰۰۲۱۷۸  | پیچ شش گوش گالوانیزه زرد m10*70                   | عدد  | ۱۰۰۰  | DIN 933                 |
| ۱۹   | ۳۱۰۰۱۰۰۰۲۱۸۰  | پیچ شش گوش گالوانیزه زرد m10*80                   | عدد  | ۵۰۰   | DIN 933                 |
| ۲۰   | ۳۱۰۰۱۰۰۰۲۲۰۶  | پیچ شش گوش گالوانیزه زرد m12*20                   | عدد  | ۱۰۰۰  |                         |
| ۲۱   | ۳۱۰۰۱۰۰۰۸۸۰۴۱ | پیچ شش گوش گالوانیزه زرد m12*25                   | عدد  | ۱۰۰   | DIN 933                 |
| ۲۲   | ۳۱۰۰۱۰۰۰۲۰۷۸  | پیچ شش گوش گالوانیزه زرد m6*20                    | عدد  | ۴۰۰۰۰ | DIN 933                 |
| ۲۳   | ۳۱۰۰۱۰۰۰۲۰۷۹  | پیچ شش گوش گالوانیزه زرد m6*25                    | عدد  | ۲۰۰۰۰ | DIN 933                 |
| ۲۴   | ۳۱۰۰۱۰۰۰۲۰۸۶  | پیچ شش گوش گالوانیزه زرد m6*40                    | عدد  | ۶۰۰   | DIN 933                 |
| ۲۵   | ۳۱۰۰۱۰۰۰۲۰۹۰  | پیچ شش گوش گالوانیزه زرد m6*50                    | عدد  | ۱۰۰۰  | DIN 933                 |
| ۲۶   | ۳۱۰۰۱۰۰۰۲۱۱۰  | پیچ شش گوش گالوانیزه زرد m8*15                    | عدد  | ۵۰۰۰  | or M8*16                |

توضیحات: تمامی پیچ و مهره ها گرید ۸.۸ و از نوع گالوانیزه زرد میباشد

| ردیف | کد کالا       | نام کالا  | واحد | مقدار  | توضیحات                               |
|------|---------------|---|------|--------|---------------------------------------|
| ۲۷   | ۳۱۰۰۱۰۰۲۱۱۴   | پیچ شش گوش گالوانیزه زرد m8*25  | عدد  | ۴۰۰۰۰  | DIN 933                               |
| ۲۸   | ۳۱۰۰۱۰۰۲۱۲۰   | پیچ شش گوش گالوانیزه زرد m8*40  | عدد  | ۱۵۰۰   | DIN 933                               |
| ۲۹   | ۳۱۰۰۱۰۰۲۱۲۶   | پیچ شش گوش گالوانیزه زرد m8*60  | عدد  | ۱۲۰۰   | DIN 933                               |
| ۳۰   | ۳۱۰۰۱۰۰۱۴۳۱۱  | پیچ شیریانی سرمته ای گالوانیزه m6*15  | عدد  | ۲۵۰۰۰  | DIN 7504/ ISO 15480                   |
| ۳۱   | ۳۱۰۰۱۰۰۰۶۱۳۸  | پیچ دنده ای بوکسی واشردار M6*20   | عدد  | ۷۰۰۰   | DIN 6921/ ISO 4162                    |
| ۳۲   | ۳۱۰۰۱۰۰۰۲۱۶۸  | پیچ شش گوش گالوانیزه زرد m10*50   | عدد  | ۵۰۰۰   | DIN 933                               |
| ۳۳   | ۳۱۰۰۳۰۰۰۰۵۰۸  | واشر فنری گالوانیزه زرد m8  | عدد  | ۱۰۰۰۰۰ | DIN 127/ DIN 7980                     |
| ۳۴   | ۳۱۰۰۳۰۰۰۰۵۰۶  | واشر فنری گالوانیزه زرد m6  | عدد  | ۸۰۰۰۰  | DIN 127 / DIN 7980                    |
| ۳۵   | ۳۱۰۰۳۰۰۰۰۵۱۰  | واشر فنری گالوانیزه زرد m10   | عدد  | ۴۰۰۰۰  | DIN 127 / DIN 7980                    |
| ۳۶   | ۳۱۰۰۳۰۰۰۰۶۰۰۰ | واشر تخت گالوانیزه زرد دور بزرگ m8-قطر داخلی 8/5 قطر بیرونی 20-25 ضخامت 2 میلیمتر     | عدد  | ۴۰۰۰۰  | DIN 9021 - id=8.4 ,<br>od=24 , th=2   |
| ۳۷   | ۳۱۰۰۳۰۰۰۰۲۰۹  | واشر تخت گالوانیزه زرد دور بزرگ m6-قطر داخلی 6/5 قطر بیرونی 16-20 ضخامت 1/5 میلیمتر   | عدد  | ۸۰۰۰۰  | DIN 9021 - id=6.4 ,<br>od=18 , th=1.6 |
| ۳۸   | ۳۱۰۰۳۰۰۰۰۰۰۰۷ | واشر تخت گالوانیزه زرد دور بزرگ m5  | عدد  | ۳۰۰۰   | DIN 9021 - id=5.3 ,<br>od=15 , th=1.2 |
| ۳۹   | ۳۱۰۰۳۰۰۰۰۶۰۰۵ | واشر تخت گالوانیزه زرد دور بزرگ m16-قطر داخلی 17 قطر بیرونی 38-40 ضخامت 3 میلیمتر     | عدد  | ۱۰۰۰   | DIN 9021 - id=17 , od=50<br>th=3      |
| ۴۰   | ۳۱۰۰۳۰۰۰۰۶۰۰۳ | واشر تخت گالوانیزه زرد دور بزرگ m12-قطر داخلی 13 قطر بیرونی 32-38 ضخامت 3 میلیمتر     | عدد  | ۲۰۰۰   | DIN 9021 - id=13 , od=37<br>th=3      |
| ۴۱   | ۳۱۰۰۳۰۰۰۰۶۰۰۱ | واشر تخت گالوانیزه زرد دور بزرگ m10-قطر داخلی 10/5 قطر بیرونی 25-30 ضخامت 2/5 میلیمتر | عدد  | ۵۰۰۰۰  | DIN 9021 - id=10.5 ,<br>od=30 th=2.5  |
| ۴۲   | ۳۱۰۰۳۰۰۰۰۲۰۸  | واشر تخت گالوانیزه زرد m6   | عدد  | ۱۰۰۰۰۰ | DIN 125                               |
| ۴۳   | ۳۱۰۰۳۰۰۰۰۲۰۶  | واشر تخت گالوانیزه زرد m5   | عدد  | ۲۰۰۰   | DIN 125                               |
| ۴۴   | ۳۱۰۰۳۰۰۰۰۲۰۴  | واشر تخت گالوانیزه زرد m4   | عدد  | ۱۵۰۰   | DIN 125                               |
| ۴۵   | ۳۱۰۰۳۰۰۰۰۲۳۱  | واشر تخت استیل A2-70 m8   | عدد  | ۱۰۰۰۰  | DIN 125                               |
| ۴۶   | ۳۱۰۰۳۰۰۰۰۲۳۴  | واشر تخت استیل A2-70 m5   | عدد  | ۵۰۰۰۰  | DIN 125                               |
| ۴۷   | ۳۱۰۰۳۰۰۰۰۲۳۵  | واشر تخت استیل A2-70 M12  | عدد  | ۱۵۰۰   | DIN 125                               |
| ۴۸   | ۳۱۰۰۳۰۰۰۰۵۱۴  | واشر فنری گالوانیزه زرد m16   | عدد  | ۲۰۰۰   | DIN 127 / DIN 7980                    |
| ۴۹   | ۳۱۰۰۳۰۰۰۰۲۱۲  | واشر تخت گالوانیزه زرد m10  | عدد  | ۴۰۰۰۰  | DIN 125                               |
| ۵۰   | ۳۱۰۰۳۰۰۰۰۲۱۴  | واشر تخت گالوانیزه زرد m12  | عدد  | ۶۰۰۰   | DIN 125                               |
| ۵۱   | ۳۱۰۰۳۰۰۰۰۲۱۰  | واشر تخت گالوانیزه زرد m8   | عدد  | ۴۰۰۰۰  | DIN 125                               |
| ۵۲   | ۴۰۰۹۹۰۰۰۰۰۲۶  | مهده ارت استیل A2-70 M8*48*20   | عدد  | ۱۰۰۰   | طبق مشخصات پیوستی                     |

| ردیف | کد کالا      | نام کالا                                 | واحد | مقدار | توضیحات              |
|------|--------------|--|------|-------|----------------------|
| ۵۳   | ۴۰۰۹۹۰۰۰۱۶۳  | مهره ارت استیل A4-80 m12*25*30           | عدد  | ۱۰۰   | طبق مشخصات پیوسته    |
| ۵۴   | ۴۰۰۹۹۰۰۰۲۳۰  | مهره پرچی سر شش گوش گالوانیزه زرد m10    | عدد  | ۲۰۰   | طبق مشخصات پیوسته    |
| ۵۵   | ۴۰۰۹۹۰۰۰۲۱۵  | مهره پرچی سر شش گوش گالوانیزه زرد m8     | عدد  | ۸۰۰۰  | طبق مشخصات پیوسته    |
| ۵۶   | ۴۰۰۹۹۰۰۰۲۱۵  | مهره پرچی گالوانیزه زرد m10              | عدد  | ۱۵۰۰  | طبق مشخصات پیوسته    |
| ۵۷   | ۴۰۰۹۹۰۰۰۲۱۴  | مهره پرچی گالوانیزه زرد m8               | عدد  | ۱۵۰۰  | طبق مشخصات پیوسته    |
| ۵۸   | ۴۰۰۹۹۰۰۰۲۰۹  | مهره تاجدار استیل m6 A2-70               | عدد  | ۱۵۰۰۰ | DIN 935              |
| ۵۹   | ۳۱۰۰۲۰۰۸۰۸۱۴ | مهره خروسی m6                            | عدد  | ۲۵۰۰  | DIN 315              |
| ۶۰   | ۳۱۰۰۲۰۰۸۰۸۲۰ | مهره دنباله دار ریتال m8                 | عدد  | ۳۰۰۰  | طبق مشخصات پیوسته    |
| ۶۱   | ۳۱۰۰۲۰۰۵۰۶۳۰ | مهره شش گوش استیل m6 A2-70               | عدد  | ۲۰۰۰۰ | DIN 934 / DIN 4032   |
| ۶۲   | ۳۱۰۰۲۰۰۵۰۶۳۱ | مهره شش گوش استیل m8 A2-70               | عدد  | ۴۰۰۰  | DIN 934              |
| ۶۳   | ۳۱۰۰۲۰۰۰۶۲۱  | مهره شش گوش گالوانیزه زرد m10            | عدد  | ۴۰۰۰۰ | DIN 934              |
| ۶۴   | ۴۰۰۹۹۰۰۰۲۵۰  | مهره کاسه نمدی (اورینگ دار) گالوانیزه m6 | عدد  | ۵۰۰۰  | DIN 982 / DIN 985    |
| ۶۵   | ۳۱۰۰۲۰۰۸۰۸۱۶ | مهره کشویی گالوانیزه زرد M6              | عدد  | ۵۰۰۰۰ | طبق مشخصات پیوسته    |
| ۶۶   | ۳۱۰۰۲۰۰۸۰۸۱۷ | مهره کشویی گالوانیزه زرد M8              | عدد  | ۸۰۰۰  | طبق مشخصات پیوسته    |
| ۶۷   | ۳۱۰۰۴۰۰۰۱۲۵  | میخ پرچ آلومینیومی فشنگی 4*12            | عدد  | ۸۰۰۰  | DIN 7337 / ISO 15977 |
| ۶۸   | ۳۱۰۰۴۰۰۰۱۲۶  | میخ پرچ آلومینیومی فشنگی سر پهن 4*12     | عدد  | ۷۰۰۰  | DIN 7337 / ISO 15977 |
| ۶۹   | ۲۰۰۰۵۱۰۰۰۱۹  | میخ پرچ فولادی قطر 6 طول 10 میلیمتر      | عدد  | ۱۵۰۰۰ | DIN 7327 / ISO 15977 |
| ۷۰   | ۲۰۰۰۵۱۰۰۰۱۸  | میخ پرچ فولادی قطر 6 طول 15 میلیمتر      | عدد  | ۱۵۰۰۰ | DIN 7337 / ISO 15977 |
| ۷۱   | ۳۱۰۰۲۰۰۰۶۲۳  | مهره شش گوش گالوانیزه زرد m12            | عدد  | ۱۰۰۰۰ | DIN 934              |
| ۷۲   | ۳۱۰۰۲۰۰۰۶۱۷  | مهره شش گوش گالوانیزه زرد m6             | عدد  | ۶۰۰۰۰ | DIN 934              |
| ۷۳   | ۳۱۰۰۲۰۰۰۶۱۹  | مهره شش گوش گالوانیزه زرد m8             | عدد  | ۸۰۰۰۰ | DIN 934              |

توضیحات: تمامی بیج و مهره ها گرید ۸.۸ و از نوع گالوانیزه زرد میباشد



|    | N  | O  | P   | R  | S  | T   | U   | V   | W   | X   | Y  | Z  |
|----|--|--|---|--|--|---|---|---|---|---|--|--|
| 1  | <br>DIN 6900                      | <br>DIN 7500  | <br>DIN 7504                       | <br>DIN 7513                      | <br>DIN 7513            | <br>DIN 7513                 | <br>DIN 7516                     | <br>DIN 7516                     | <br>DIN 7516               | <br>DIN 7985<br>ISO 7045   | <br>DIN 7991                          | <br>DIN 8243                          |
| 2  | <br>B 53081                       | <br>B 53080, 53082,<br>53083, 53084                               | <br>DIN 912<br>ISO 4762            | <br>DIN 4626                      | <br>DIN 6912            | <br>DIN 7964                 | <br>ISO 7380<br>B 50500          | <br>DIN 186, 7992                | <br>DIN 188                | <br>DIN 261, 25192         | <br>DIN 316                           | <br>B 316                             |
| 3  | <br>DIN 653, 58530                | <br>DIN 787   | <br>DIN 5903                       | <br>DIN 5903, 21547               | <br>DIN 5906            | <br>DIN 6304, 6306           | <br>DIN 6367                     | <br>DIN 6376                     | <br>DIN 7969               | <br>DIN 11014, 25195       | <br>DIN 15237                         | <br>DIN 22424                         |
| 4  | <br>DIN 7981                      | <br>DIN 7982  | <br>DIN 7983                       | <br>B 51001, 51003                | <br>B 51002, 51004      | <br>B 52010, 52011,<br>52012 | <br>B 52013                      | <br>B 52014                      | <br>B 52020                | <br>B 52021                | <br>DIN 95                            | <br>DIN 96                            |
| 5  | <br>DIN 551<br>ISO 4766           | <br>DIN 553<br>ISO 7434   | <br>DIN 797                        | <br>DIN 835, 938, 939,<br>940     | <br>DIN 913<br>ISO 4026 | <br>DIN 914<br>ISO 4027      | <br>DIN 915<br>ISO 4028          | <br>DIN 916<br>ISO 4029          | <br>DIN 926                | <br>DIN 927                | <br>DIN 975                           | <br>DIN 976                           |
| 6  | <br>DIN 548                      | <br>DIN 555, 334, 6915,<br>90386, 70614, 70615<br>ISO 4032, 4034 | <br>DIN 557                       | <br>DIN 562                      | <br>DIN 582            | <br>DIN 798                 | <br>DIN 917                     | <br>DIN 928                     | <br>DIN 929               | <br>DIN 935<br>DIN 70617  | <br>DIN 937, 979, 70618,<br>ISO 7038 | <br>DIN 980, 982, 985,<br>6924, 6925 |
| 7  | <br>DIN 6305, 6307              | <br>DIN 6330  | <br>DIN 6334                     | <br>DIN 7965                    | <br>DIN 7967          | <br>DIN 8838               | <br>DIN 8839                   | <br>DIN 16903                  | <br>DIN 22425            | <br>DIN 28129            | <br>DIN 30389                       | <br>DIN 70608                       |
| 8  | <br>B 53001                     | <br>B 53002   | <br>B 53010                      | <br>B 53011                     | <br>B 53020           | <br>B 53021                | <br>B 53030                    | <br>B 53040                    | <br>B 53050, 53051       | <br>B 65080              | <br>B 66000                         | <br>B 67000                         |
| 9  | <br>DIN 463                     | <br>DIN 526   | <br>DIN 2093, 6796,<br>6908      | <br>DIN 5406, 70952             | <br>DIN 6797          | <br>DIN 6797, 6906         | <br>DIN 6797, 6906             | <br>DIN 6796                   | <br>DIN 6798, 6907       | <br>DIN 6798             | <br>DIN 6913                        | <br>B 53070                         |
| 10 | <br>DIN 7338                    | <br>DIN 7338  | <br>DIN 7339                     | <br>DIN 7340                    | <br>DIN 7340          | <br>DIN 7341               | <br>DIN 7341                   | <br>DIN 911                    | <br>DIN 6911             | <br>B 50502              | <br>B 51020, 51021                  | <br>B 51022                         |
| 11 | <br>DIN 1473                    | <br>DIN 1474  | <br>DIN 1475                     | <br>DIN 1476                    | <br>DIN 1477          | <br>DIN 1481<br>ISO 8752   | <br>DIN 6325<br>ISO 8734       | <br>DIN 7343<br>ISO 8750, 8751 | <br>DIN 7344<br>ISO 8748 | <br>DIN 7346<br>ISO 8749 | <br>DIN 7978<br>ISO 8736            | <br>DIN 7979<br>ISO 8735            |
| 12 | <br>DIN 984                     | <br>DIN 6799  | <br>DIN 7993, 9045               | <br>DIN 906                     | <br>DIN 907           | <br>DIN 908                | <br>DIN 909                    | <br>DIN 910                    | <br>DIN 7604             | <br>DIN 442              | <br>DIN 443                         | <br>DIN 470                         |
| 13 | <br>B 72100                     | <br>B 81100, 81200  | <br>B 81400                      | <br>B 81500                     | <br>B 81600           | <br>B 81800                | <br>B 81900<br>different Types | <br>Type 1230, 1240            | <br>Type 937             | <br>Type 931, 932        | <br>Type 940, 941                   | <br>Type 730, 733, 734              |
| 14 | <br>Type 47741, 47742,<br>47743 | <br>Type 48741, 48742,<br>48743                                 | <br>Type 47751,<br>487752, 47753 | <br>Type 48751, 48752,<br>48753 | <br>Type 47141        | <br>Type 47142             | <br>Type 47661                 | <br>Type 47662                 | <br>Type 47761           | <br>Type 47762           | <br>Type 48661                      | <br>Type 48762                      |

# Overview of DIN/ISO/B/TYPE

From 1 to 82013

See the Selector Grid pages 14/15 (e.g. Split pins = C 11)

## 1 - 500

|      |     |   |
|------|-----|---|
| DIN  | 1   | Taper pins / A 11   |
| DIN  | 7   | Parallel pins / B 11  |
| DIN  | 84  | Slotted cheese head screws / A 1                            |
| DIN  | 85  | Slotted pan head screws / B 1                               |
| DIN  | 93  | Washers with tabs / A 9                                     |
| DIN  | 94  | Split pins / C 11   |
| DIN  | 95  | Slotted raised countersunk head wood screws / Y 4           |
| DIN  | 96  | Slotted round head wood screws / Z 4                        |
| DIN  | 97  | Slotted countersunk head wood screws / A 5                  |
| DIN  | 124 | Round head solid rivets / A 10                              |
| DIN  | 125 | Medium washers / B 9 / D 9                                  |
| DIN  | 126 | Coarse washers / B 9  |
| DIN  | 127 | Spring lock washers / E 9                                   |
| DIN  | 128 | Spring lock washers / F 9                                   |
| DIN  | 137 | Spring washers, curved / G 9                                |
| B    | 151 | Verbus Tensilock screws / L 2                               |
| B    | 158 | Verbus Ripp screws / L 2                                    |
| Type | 163 | AMTEC® plastic threaded inserts / H 14                      |
| DIN  | 173 | Pan head shoulder screws / G 1                              |
| Type | 173 | AMTEC® plastic threaded inserts / G 14                      |
| DIN  | 186 | T-head bolts with square neck / V 2                         |
| DIN  | 188 | T-head bolts with double nib / W 2                          |
| B    | 193 | Verbus Ripp nuts / E 8                                      |
| B    | 196 | Verbus Tensilock nuts / E 8                                 |
| Type | 230 | Threaded inserts Expansionert 1, standard / B 14            |
| Type | 231 | Threaded inserts Expansionert 1, flange / B 14              |
| Type | 232 | Threaded inserts Expansionert 1, clinch / B 14              |
| Type | 235 | Threaded inserts Expansionert 1 / C 14                      |
| B    | 251 | Inbus Ripp screws / M 2                                     |
| DIN  | 258 | Taper pins with thread ends / D 11                          |
| DIN  | 261 | T-head bolts / X 2  |
| DIN  | 268 | Tangential keys / A 12                                      |
| DIN  | 271 | Tangential keys / A 12                                      |
| DIN  | 302 | Countersunk head rivets / B 10                              |
| DIN  | 315 | Wing nuts / E 6   |
| B    | 315 | Wing nuts, American type / F 6                              |
| DIN  | 316 | Wing screws / Y 2   |
| B    | 316 | Wing screws, American type / Z 2                            |
| B    | 317 | Wing nuts UNITEC® / F 8                                     |
| B    | 318 | Wing nuts UNITEC® / F 8                                     |
| DIN  | 404 | Capstan screws / C 1  |
| DIN  | 417 | Slotted setscrews with long dog point / K 5                 |
| DIN  | 427 | Slotted headless screws with chamfered end / L 5            |
| DIN  | 431 | Pipe nuts / G 6   |
| DIN  | 432 | Washers with external tab / H 9                             |
| DIN  | 433 | Washers for cheese head screws / B 9                        |
| DIN  | 434 | Square taper washers for channels / I 9                     |
| DIN  | 435 | Square taper washers for I sections / I 9                   |
| DIN  | 436 | Square washers for wood / K 9                               |
| DIN  | 438 | Slotted set screws with cup point / M 5                     |
| DIN  | 439 | Hexagon thin nuts / H 6                                     |
| DIN  | 440 | Round washers for wood, type H / B 9                        |
| DIN  | 440 | Round washers for wood, type V / L 9                        |
| DIN  | 442 | Sealing caps for rolling in / X 12                          |
| DIN  | 443 | Sealing caps for pressing in / Y 12                         |
| DIN  | 444 | Eye bolts / A 3   |
| DIN  | 462 | Internal tab washers / M 9                                  |
| DIN  | 463 | Washers with two tabs / N 9                                 |
| DIN  | 464 | Knurled thumb screws, high type F / D 3                     |
| DIN  | 466 | Knurled thumb nuts, high type / I 6                         |
| B    | 466 | Knurled thumb nuts, high type F, UNITEC® / G 8              |
| B    | 466 | Knurled thumb nuts, high type G, UNITEC® / G 8              |
| DIN  | 467 | Knurled thumb nuts, thin type / K 6                         |
| DIN  | 467 | Knurled thumb nuts, thin type F, UNITEC® / H 8              |
| DIN  | 467 | Knurled thumb nuts, thin type G, UNITEC® / H 8              |
| DIN  | 470 | Sealing washers / Z 12                                      |
| DIN  | 471 | Circlips for shafts / K 12                                  |
| DIN  | 472 | Circlips for bores / L 12                                   |
| DIN  | 478 | Square head bolts with collar / C 3                         |
| DIN  | 479 | Square head bolts with short dog point / D 3                |
| DIN  | 480 | Square head bolts with collar and oval half dog point / E 3 |

## 501 - 1000

|     |     |  |
|-----|-----|--|
| DIN | 525 | Welding studs / F 3  |
| DIN | 526 | Safety Cups / O 9  |
| DIN | 529 | Foundation bolts / F 3                                     |
| DIN | 546 | Slotted round nuts / L 6                                   |
| DIN | 547 | Round nuts with drilled holes / M 6                        |
| DIN | 548 | Round nuts with set pin holes / N 6                        |
| DIN | 551 | Slotted set screws with flat point / N 5                   |
| DIN | 553 | Slotted set screws with cone point / O 5                   |
| DIN | 555 | Hexagon nuts / O 6   |
| DIN | 557 | Square nuts / P 6  |
| DIN | 558 | Hexagon head screws / A 2                                  |
| DIN | 561 | Hexagon head screws with full dog point / B 2              |
| DIN | 562 | Square thin nuts / R 6                                     |
| DIN | 564 | Hexagon head screws with coned half dog point / C 2        |
| DIN | 571 | Hexagon head wood screws / B 5                             |
| B   | 571 | Caps for DIN 571 / B 5                                     |
| DIN | 580 | Lifting eye screws / G 3                                   |
| B   | 581 | Lifting eye screws, octagonal / H 3                        |
| DIN | 582 | Lifting eye nuts / S 6                                     |
| DIN | 601 | Hexagon head bolts / E 2                                   |
| DIN | 603 | Mushroom head square neck bolts / I 3                      |
| DIN | 604 | Flat countersunk nib bolts / K 3                           |
| DIN | 605 | Flat countersunk square neck bolts with long square / L 3  |
| DIN | 607 | Mushroom head nib bolts / M 3                              |
| DIN | 608 | Flat countersunk square neck bolts with short square / L 3 |
| DIN | 609 | Hexagon fit bolts with long threaded dog point / D 2       |
| DIN | 610 | Hexagon fit bolts with short threaded dog point / D 2      |
| DIN | 653 | Flat knurled thumb screw / N 3                             |
| DIN | 660 | Round head rivets / A 10                                   |

|      |     |  |
|------|-----|--|
| DIN  | 661 | Countersunk head rivets / C 10                                   |
| DIN  | 662 | Raised countersunk head rivets / D 10                            |
| DIN  | 674 | Mushroom head rivets / E 10                                      |
| DIN  | 675 | Flat countersunk head rivets / F 10                              |
| DIN  | 705 | Bright set collars / I 12  |
| Type | 730 | Threaded inserts, insertable both sides, SONICERT® / Z 13        |
| Type | 733 | Threaded inserts, SONICERT® / Z 13                               |
| Type | 734 | Threaded inserts, with flange, SONICERT® / Z 13                  |
| Type | 743 | Threaded inserts stud, SONICERT® / A 14                          |
| Type | 744 | Threaded inserts stud, with flange, SONICERT® / A 14             |
| DIN  | 787 | Bolts for T-slots / O 3  |
| DIN  | 797 | Special foundation bolts / P 5                                   |
| DIN  | 798 | Foundation nuts / T 6  |
| Type | 831 | Threaded inserts SPREDSERT® 1 / D 14                             |
| Type | 832 | Threaded inserts SPREDSERT® 1 / D 14                             |
| Type | 833 | Threaded inserts SPREDSERT® 1 / D 14                             |
| Type | 835 | Threaded inserts with collar SPREDSERT® / E 14                   |
| Type | 837 | Studs, threaded end, 2 d long / R 5                              |
| DIN  | 906 | Threaded inserts SPREDSERT® 2 / E 14                             |
| DIN  | 906 | Hexagon socket pipe plugs / R 12                                 |
| DIN  | 907 | Cone plugs / S 12  |
| DIN  | 908 | Hexagon socket pipe plugs with collar / T 12                     |
| DIN  | 909 | Hexagon head pipe plugs / U 12                                   |
| DIN  | 910 | Hexagon head pipe plugs with collar / V 12                       |
| DIN  | 911 | Socket wrenches / V 10   |
| DIN  | 912 | Hexagon socket head cap screws / P 2                             |
| DIN  | 913 | Hexagon socket set screws with flat point / S 5                  |
| DIN  | 914 | Hexagon socket set screws with cone point / T 5                  |
| DIN  | 915 | Hexagon socket set screws with full dog point / U 5              |
| DIN  | 916 | Hexagon socket set screws with cup point / V 5                   |
| DIN  | 917 | Hexagon cap nuts / U 6   |
| DIN  | 920 | Slotted pan head screws, small head / D 1                        |
| DIN  | 921 | Slotted pan head screws, large head / E 1                        |
| DIN  | 922 | Slotted pan head screws with full dog point, small head / F 1    |
| DIN  | 923 | Slotted pan head screws with shoulder / G 1                      |
| DIN  | 924 | Slotted raised countersunk head screws with full dog point / H 1 |
| DIN  | 925 | Slotted countersunk head screws with full dog point / H 1        |
| DIN  | 926 | Slotted set screws with full dog point / W 5                     |
| DIN  | 927 | Slotted shoulder screws / X 5                                    |
| DIN  | 928 | Square weld nuts / V 6   |
| DIN  | 929 | Hexagonal weld nuts / W 6  |
| Type | 931 | Threaded inserts with flange, HITSERT® / X 13                    |
| DIN  | 931 | Hexagon head bolts / E 2   |
| Type | 932 | Threaded inserts HITSERT® / X 13                                 |
| DIN  | 933 | Hexagon head screws / A 2  |
| DIN  | 934 | Hexagon nuts / O 6   |
| DIN  | 935 | Hexagon slotted nuts and castle nuts / X 6                       |
| DIN  | 936 | Hexagon thin nuts / H 6  |
| Type | 937 | Hexagon thin slotted nuts and castle nuts / W 13                 |
| DIN  | 938 | Studs, threaded end, 1 d long / R 5                              |
| DIN  | 939 | Studs, threaded end, 1.25 d long / R 5                           |
| DIN  | 940 | Studs, threaded end, 2.5 d long / R 5                            |
| Type | 940 | Threaded inserts stud, HITSERT® / Y 13                           |
| Type | 941 | Threaded inserts stud with flange, HITSERT® / Y 13               |
| DIN  | 960 | Hexagon head bolts, fine thread / E 2                            |
| DIN  | 961 | Hexagon head screws, fine thread / A 2                           |
| DIN  | 963 | Slotted countersunk head screws / I 1                            |
| DIN  | 964 | Slotted raised countersunk head screws / K 1                     |
| DIN  | 965 | Cross recessed countersunk flat head screws / L 1                |
| DIN  | 966 | Cross recessed raised countersunk head screws / M 1              |
| DIN  | 975 | Threaded nuts / Y 5  |
| DIN  | 976 | Stud bolts / Z 5   |
| DIN  | 979 | Hexagon thin slotted nuts and castle nuts / Y 6                  |
| DIN  | 980 | Prevailing torque type locking nuts / Z 6                        |
| DIN  | 981 | Lock nuts for roller bearings / A 7                              |
| DIN  | 982 | Self locking hexagon nuts / Z 6                                  |
| DIN  | 983 | Circlips with tabs, for shafts / M 12                            |
| DIN  | 984 | Circlips with tabs, for bores / N 12                             |
| DIN  | 985 | Prevailing torque type hexagon nuts / Z 6                        |
| DIN  | 986 | Self locking cap nuts / B 7                                      |
| DIN  | 987 | Plate nuts, self locking / C 7                                   |
| DIN  | 988 | Shim rings / B 9   |

## 1001 - 5000

|      |      |   |
|------|------|---|
| Type | 1030 | Threaded bushes with locking flange, through bore, KOBSERT® / C 13                        |
| Type | 1031 | Threaded bushes with locking flange, with seal ring, KOBSERT® / C 13                      |
| Type | 1032 | Threaded bushes with locking flange and support washer, with seal ring, KOBSERT® / C 13   |
| Type | 1033 | Threaded bushes with locking flange, with seal ring, KOBSERT® / C 13                      |
| Type | 1040 | Threaded bushes HP, heavy-duty type, with locking flange, KOBSERT® / D 13                 |
| Type | 1041 | Threaded bushes HP, heavy-duty type, with locking flange, with seal ring, KOBSERT® / D 13 |
| B    | 1052 | Washers for wood constructions / C 9  |
| DIN  | 1142 | Collar nuts for cable clamps / D 7  |
| ISO  | 1207 | Slotted cheese head screws / A 1  |
| Type | 1230 | Threaded inserts QUICKSERT® / V 13  |
| Type | 1240 | Threaded inserts, with bolt, QUICKSERT® / V 13  |
| DIN  | 1433 | Pins without head, screw / E 11   |
| DIN  | 1433 | Threaded inserts, self tapping, with flange, QUICKSERT® / F 14                            |
| Type | 1434 | Threaded inserts, self tapping, with flange, QUICKSERT® / F 14                            |
| DIN  | 1434 | Clevis pins, type M / F 11  |
| DIN  | 1435 | Clevis pins, type MG / F 11   |
| DIN  | 1436 | Clevis pins / G 11  |
| DIN  | 1440 | Plain washers for clevis pins, type M / B 9   |
| DIN  | 1441 | Plain washers for clevis pins / B 9   |
| DIN  | 1443 | Pins / E 11   |
| DIN  | 1444 | Clevis pins / G 11  |

|      |      |  |
|------|------|--|
| DIN  | 1445 | Pins with head and threaded stem / H 11                      |
| DIN  | 1469 | Half length taper grooved pins with gorge / I 11             |
| DIN  | 1470 | Grooved pins with pilot / K 11                               |
| DIN  | 1471 | Full length taper grooved pins / L 11                        |
| DIN  | 1472 | Half-length taper grooved pins / M 11                        |
| DIN  | 1473 | Full length parallel grooved pins with chamfer / N 11        |
| DIN  | 1474 | Half length reverse grooved pins / O 11                      |
| DIN  | 1475 | Third length centre grooved pins / P 11                      |
| DIN  | 1477 | Countersunk head grooved pins / R 11                         |
| DIN  | 1478 | Turnbuckle nuts made from steel tube / E 7                   |
| DIN  | 1479 | Turnbuckle nuts made from hexagon bar / F 7                  |
| DIN  | 1480 | Turnbuckles / G 7  |
| DIN  | 1481 | Slotted spring pins, heavy type / T 11                       |
| ISO  | 1580 | Slotted pan head screws / B 1                                |
| DIN  | 1567 | Hexagon domed cap nuts / H 7                                 |
| DIN  | 1804 | Slotted round nuts for machine tools / A 7                   |
| DIN  | 1816 | Round nuts with set pin holes / I 7                          |
| Type | 1932 | RIVSET® self pierce rivet / I 14 / K 14                      |
| Type | 1942 | RIVSET® self pierce rivet / I 14 / K 14                      |
| ISO  | 2010 | Slotted raised countersunk head screws / K 1                 |
| DIN  | 2082 | Nuts for milling machine arbors / K 7                        |
| DIN  | 2093 | Disc springs / P 9   |
| ISO  | 2338 | Parallel pins / B 11   |
| ISO  | 2339 | Taper pins / A 11  |
| ISO  | 2340 | Pins without head / E 11                                     |
| ISO  | 2341 | Pins with head / G 11  |
| DIN  | 2505 | Double end studs / A 6                                       |
| DIN  | 2510 | Hexagon nuts / L 7   |
| DIN  | 2510 | Bolted connections with reduced shank, type L, K and Z / B 5 |
| DIN  | 2510 | Bolted connections with reduced shank, type KU and ZU / C 6  |
| DIN  | 2510 | Cap nuts / M 7   |
| DIN  | 2950 | Pipe nuts / G 6  |
| ISO  | 4014 | Hexagon head bolts / E 2                                     |
| ISO  | 4016 | Hexagon head bolts / F 2                                     |
| ISO  | 4017 | Hexagon head screws / A 2                                    |
| ISO  | 4018 | Hexagon head screws / A 2                                    |
| ISO  | 4026 | Socket head screws with flat point / S 5                     |
| ISO  | 4027 | Hexagon socket screws with cone point / T 5                  |
| ISO  | 4028 | Hexagon socket set points with dog point / U 5               |
| ISO  | 4029 | Hexagon socket set screws with cup point / V 5               |
| ISO  | 4032 | Hexagon nuts / O 6   |
| ISO  | 4034 | Hexagon nuts / O 6   |
| DIN  | 4626 | Spring bolts / R 2   |
| ISO  | 4762 | Hexagon socket head cap screws / P 2                         |
| ISO  | 4766 | Slotted set screws with flat point / N 5                     |

## 5001 - 10 000

|     |      |  |
|-----|------|--|
| DIN | 5406 | Lock washers for rolling bearings / R 9                  |
| DIN | 5903 | Fishbolts / P 3 / R 3                                    |
| DIN | 5906 | Clip bolts for rails up to 20 kg / m / S 3               |
| DIN | 5914 | Rail screws / F 4  |
| DIN | 5917 | Coupling screws / E 2                                    |
| DIN | 6303 | Knurled nuts / K 6                                       |
| DIN | 6304 | Tommy screws, fixed T / T 3                              |
| DIN | 6305 | Tommy screws, loose T / N 7                              |
| DIN | 6306 | Tommy screws, loose T / N 7                              |
| DIN | 6307 | Nutty nuts, loose T / N 7                                |
| DIN | 6325 | Parallel pins, hardened / U 11                           |
| DIN | 6330 | Hexagon nuts, 1.5 d high / O 7                           |
| DIN | 6331 | Hexagon nuts, 1.5 d high with collar / D 7               |
| DIN | 6332 | Grub screws with thrust point / D 6                      |
| DIN | 6334 | Long hexagon nuts / P 7                                  |
| DIN | 6367 | Cutter retaining screws for milling machine arbors / U 3 |
| DIN | 6378 | Clip bolts / V 3   |
| DIN | 6791 | Semi-tubular rivets with half round head / G 10          |
| DIN | 6792 | Semi-tubular rivets with countersunk head / H 10         |
| DIN | 6796 | Conical spring washers / P 9                             |
| DIN | 6797 | Toothed lock washers, type J / S 9                       |
| DIN | 6797 | Toothed lock washers, type A / T 9                       |
| DIN | 6797 | Toothed lock washers, type V / U 9                       |
| DIN | 6798 | Serrated lock washers, type J / V 9                      |
| DIN | 6798 | Serrated lock washers, type A / W 9                      |
| DIN | 6798 | Serrated lock washers, type V / X 9                      |
| DIN | 6799 | Retaining washers for shafts / O 12                      |
| DIN | 6804 | Saddle keys / B 12                                       |
| DIN | 6883 | Parallel keys / C 12                                     |
| DIN | 6884 | Gib-head parallel keys / D 12                            |
| DIN | 6885 | Parallel keys / E 12                                     |
| DIN | 6886 | Taper key A / F 12                                       |
| DIN | 6886 | Taper key B / C 12                                       |
| DIN | 6887 | Gib-head keys / D 12                                     |
| DIN | 6888 | Woodruff keys / G 12                                     |
| DIN | 6889 | Gib-head saddle keys / H 12                              |
| DIN | 6900 | Screw and washer assemblies / N 1 / H 2 / I 2            |
| DIN | 6901 | Tapping screw assemblies, type C / G 4                   |
| DIN | 6901 | Tapping screw assemblies, type F / H 4                   |
| DIN | 6902 | Washers for screw assemblies / B 9                       |
| DIN | 6903 | Washers for screw assemblies / B 9                       |
| DIN | 6904 | Curved spring washers for screw assemblies / G 9         |
| DIN | 6905 | Spring washers for screw assemblies / F 9                |
| DIN | 6906 | Serrated washers for screw assemblies, type A / T 9      |
| DIN | 6906 | Serrated washers for screw assemblies, type V / T 9      |
| DIN | 6907 | Serrated washers for screw assemblies / W 9              |
| DIN | 6908 | Conical spring washers for screw assemblies / P 9        |
| DIN | 6911 | Hexagon socket keys / W 10                               |
| DIN | 6912 | Low head socket cap screws / S 2                         |
| DIN | 6913 | Spring washers with safety ring / Y 9                    |
| DIN | 6914 | Hexagon bolts for construction / E 2                     |
| DIN | 6915 | Hexagon nuts for construction / O 6                      |
| DIN | 6916 | Round washers for high strength structural bolting / D 9 |
| DIN | 6917 | Square taper washers for I sections / I 9                |
| DIN | 6918 | Square taper washers for U sections / I 9                |

# Overview of DIN/ISO/B/TYPE

From 1 to 82013  
See the Selector Grid pages 14/15 (e.g. Split pins = C 11)

- DIN 6924 Prevailing torque hexagon nuts / Z 6
- DIN 6925 Prevailing torque hexagon nuts / Z 6
- ISO 7038 Hexagon slotted and castle nut / Y 6
- ISO 7045 Cross recessed pan head screws / X 1
- ISO 7046 Cross recessed countersunk head screws / L 1
- ISO 7047 Cross recessed raised countersunk head screws / M 1
- DIN 7331 Eyelets, type A / I 10
- DIN 7331 Eyelets, type B / K 10
- DIN 7337 Blind rivets, types A and B / L 10
- DIN 7338 Rivets for brake and clutch linings / M 10 / N 10 / O 10
- DIN 7339 Hollow rivets, one piece / P 10
- DIN 7340 Tubular rivets with rolled round head, type B / S 10
- DIN 7340 Tubular rivets with flat head, type A / R 10
- DIN 7341 Rivet pins, type A / T 10
- DIN 7341 Rivet pins, type B / U 10
- DIN 7343 Spiral pins, medium duty / V 11
- DIN 7344 Spiral pins, heavy duty / W 11
- DIN 7346 Slotted spring pins, light type / X 11
- DIN 7349 Plain washers for bolts with heavy spring pins / B 9
- ISO 7380 Button head socket screws / U 2
- ISO 7434 Slotted set screws with cone point / O 5
- ISO 7435 Slotted set screws with dog point / K 5
- ISO 7436 Slotted set screws with cup point / M 5
- DIN 7500 Screws, thread rolling / O 1
- DIN 7504 Self drilling screws / P 1
- B 7505 Pressboard screws / F 5
- B 7510 Pressboard screws / I 5
- DIN 7513 Thread forming screws, type A / R 1
- DIN 7513 Thread forming screws, type B / S 1
- DIN 7513 Thread forming screws, type F and G / T 1
- DIN 7516 Thread forming screws, type A / U 1
- DIN 7516 Thread forming screws, type D / V 1
- DIN 7516 Thread forming screws, type E / W 1
- DIN 7604 Hexagon head pipe plug / W 12
- DIN 7964 Hexagon head screws with reduced shank / G 2
- DIN 7965 Screwed inserts / R 7
- DIN 7967 Pal nuts / S 7
- DIN 7968 Hexagon fit bolts (for steel structures) / K 2
- DIN 7969 Slotted countersunk head bolt for structural use / W 3
- DIN 7971 Slotted pan head tapping screws / I 4
- DIN 7972 Slotted countersunk head tapping screws / K 4
- DIN 7973 Slotted raised countersunk head tapping screws / L 4
- DIN 7976 Hexagon head tapping screws / M 4
- DIN 7977 Taper pins with thread / D 11
- DIN 7978 Taper pins with internal thread / Y 11
- DIN 7979 Parallel pins with internal thread / Z 11
- DIN 7980 Spring lock washers / E 9
- DIN 7981 Cross recessed pan head tapping screws / N 4
- DIN 7982 Cross recessed countersunk head tapping screws / O 4
- DIN 7983 Cross recessed raised countersunk head tapping screws / P 4
- DIN 7984 Hexagon socket low head cap screws / T 2
- DIN 7985 Cross recessed pan head screws / X 1
- DIN 7989 Washers for steel construction / C 9
- DIN 7990 Hexagon bolts and nuts for steel construction / F 2
- DIN 7991 Hexagon socket countersunk head screws / Y 1
- DIN 7992 T-head bolts with large head / V 2
- DIN 7993 Round wire snap rings / P 12
- DIN 7995 Cross recessed countersunk head wood screws / C 5
- DIN 7996 Cross recessed round head wood screws / D 5
- DIN 7997 Cross recessed countersunk head wood screws / E 5
- DIN 8140 Threaded inserts for metals, HELICOIL® / A 13
- DIN 8243 Slotted cheese head screws / Z 1
- ISO 8676 Hexagon head screws metric, fine thread / A 2
- ISO 8677 Mushroom headed square neck screw / I 3
- ISO 8734 Parallel pins, hardened / U 11
- ISO 8735 Parallel pins with internal thread / Z 11
- ISO 8736 Taper pin with internal thread / Y 11
- ISO 8737 Taper pin with external thread / D 11
- ISO 8738 Plain washers for clevis pins / C 9
- ISO 8748 Spiral pins, heavy duty / W 11
- ISO 8749 Slotted spring pins, light type / X 11
- ISO 8750 Spiral pins, medium duty / V 11
- ISO 8751 Spiral pins, light duty / V 11
- ISO 8752 Roll pins / T 11
- ISO 8765 Hexagon head bolts metric, fine thread / E 2
- DIN 8838 Nuts for milling machine arbors / T 7
- DIN 8839 Differential nuts / U 7
- DIN 9021 Plain washers / C 9
- B 9022 Large diameter washers / C 9
- DIN 9045 Snap rings / P 12

## 10001 - 82013

- DIN 11014 Countersunk head bolt with 2 flat nibs / X 3
- DIN 15237 Seating bolts / Y 3
- DIN 16903 Threaded bushes for plastics / V 7
- DIN 21346 Track bolts / D 3
- DIN 21547 Round head screws with oval shoulder / R 3
- DIN 22424 Triangular flange bolts / Z 3
- DIN 22425 Triangular flange nuts / W 7
- DIN 25192 T-head bolts for rail vehicles / X 2
- DIN 25193 Mushroom head anchor screws for rail vehicles / B 4
- DIN 25195 Countersunk bolts with double nib for rail vehicles / X 3
- DIN 25197 Cap bolts for rail vehicles / A 4
- DIN 28129 Lifting nuts / X 7
- DIN 30386 Hexagon nuts with trapezoidal thread / O 6
- DIN 30387 Shouldered nuts, metric fine and trapezoidal thread / L 7
- DIN 30389 Hexagon and castellated nuts / Y 7
- DIN 44879 Flat hexagon nuts for tubular heaters / H 6
- DIN 46320 Cable gland nut / G 6
- Type 47141 Hexagon head screws with collar, MEPLAG® / S 14
- Type 47142 Hexagon head screws with collar and slot, MEPLAG® / T 14
- Type 47621 Wing screws MEPLAG® / L 14
- Type 47622 Wing screws MEPLAG® / L 14

- Type 47623 Wing screws MEPLAG® / L 14
- Type 47661 Cross head screws MEPLAG® / U 14
- Type 47662 Cross head screws MEPLAG® / V 14
- Type 47741 Coarse knurled thumb screws MEPLAG® / N 14
- Type 47742 Coarse knurled thumb screws MEPLAG® / N 14
- Type 47743 Coarse knurled thumb screws MEPLAG® / N 14
- Type 47751 Fine knurled thumb screws MEPLAG® / P 14
- Type 47752 Fine knurled thumb screws MEPLAG® / P 14
- Type 47753 Fine knurled thumb screws MEPLAG® / P 14
- Type 47762 Star head screws MEPLAG® / W 14
- Type 48621 Wing nuts MEPLAG® / M 14
- Type 48622 Wing nuts MEPLAG® / M 14
- Type 48623 Wing nuts MEPLAG® / M 14
- Type 48661 Cross head nut / Y 14
- Type 48741 Coarse knurled thumb nuts MEPLAG® / O 14
- Type 48742 Coarse knurled thumb nuts MEPLAG® / O 14
- Type 48743 Coarse knurled thumb nuts MEPLAG® / O 14
- Type 48751 Fine knurled thumb nuts MEPLAG® / R 14
- Type 48752 Fine knurled thumb nuts MEPLAG® / R 14
- Type 48753 Fine knurled thumb nuts MEPLAG® / R 14
- Type 48762 Star grip nuts MEPLAG® / Z 14
- B 50400 Spacer collars, round / I 8
- B 50500 Button head security screw / U 2
- B 50502 Socket screw wrenches for B 50500 / X 10
- B 51001 Facade construction self tapping screws, type C, with washer / R 4
- B 51002 Facade construction self tapping screws, type F, with washer / S 4
- B 51003 Facade construction self tapping screws, type C, with washer / R 4
- B 51004 Facade construction self tapping screws, type F, with washer / S 4
- B 51010 Rivet Bush / K 8
- B 51011 Sheet metal nuts / L 8
- B 51012 Cage nuts / M 8
- B 51020 Screwdriver bits / Y 10
- B 51021 Screwdriver bits / Y 10
- B 51022 Screwdriver bits / Z 10
- B 52004 Screws for plastics, AMTEC® / G 5
- B 52005 Screws for plastics, AMTEC® / H 5
- B 52010 Window building screws / T 4
- B 52011 Window building screws / T 4
- B 52012 Window building screws / T 4
- B 52013 Window building screws / U 4
- B 52014 Window building screws / V 4
- B 52020 Dry-wall screws / W 4
- B 52021 Dry-wall screws / X 4
- B 53001 Hexagon nuts, based on DIN 934, self locking / N 8
- B 53002 Hexagon nuts, based on DIN 934, self locking / O 8
- B 53010 Nuts with captive washer / P 8
- B 53011 Self locking nuts with captive washer / R 8
- B 53020 Hexagon nuts, self locking, all metal Clevaloc 207 / S 8
- B 53021 Flanged nuts, self locking, all metal Clevaloc 212 / T 8
- B 53030 Fujitok self locking nut / U 8
- B 53040 Vargal self locking nut / V 8
- B 53050 Fine U nut self locking nut / W 8
- B 53051 Fine U nut self locking nut / W 8
- B 53070 Locking washers / S / Z 9
- B 53080 Verbus Plus self locking screws / O 2
- B 53081 Plas-Bolt self locking screws / N 2
- B 53082 Coatings Precote 30 / O 2
- B 53083 Coatings Precote 60 / O 2
- B 53084 Coatings 3M, Scotch Grip 2353 / O 2
- DIN 58326 Shouldered screws for orthopaedics / G 1
- DIN 58328 Shouldered screws for rails with ball bearings (orthopaedics) / G 1
- DIN 58334 Bone parts screws (orthopaedics) / K 1
- DIN 58450 Slotted raised head screws (scale screws) / D 4
- DIN 58520 Screws for drawing instruments / C 4
- DIN 58521 Knurled nuts for drawing instruments / I 6 / K 6
- DIN 58530 Adjusting screws for drawing instruments / N 3
- DIN 58531 Clamping screws for drawing instruments / B 3
- B 61000 Threaded inserts for metals, HELICOIL® / A 13
- B 62000 Threaded inserts for metals HELICOIL® SCREWLOCK® / B 13
- B 63300 Workshop pack HELICOIL® / A 13
- B 63301 Refilling pack HELICOIL® / A 13
- DIN 63302 Mushroom head screws (weaving loom screws) / E 4
- B 63500 HELICOIL® assortment box / A 13
- DIN 64032 Slotted nuts for ring spindles / L 6
- B 65080 Drive-in nuts / X 8
- B 66000 Seal and lock nuts SEAL LOCK® / Y 8
- B 67000 Lock nuts HELICOIL® plus / Z 8
- B 70100 Blind rivet nuts, flat head, round body, open steel RIVKLE® / E 13
- B 70101 Blind rivet nuts, flat head, round body, open stainless, RIVKLE® / E 13
- B 70102 Blind rivet nuts, flat head, round body, open and closed, aluminium alloy RIVKLE® / E 13
- B 70103 Blind rivet nuts, flat head, round body, open and closed, brass RIVKLE® / E 13
- B 70200 Blind rivet nuts, countersunk head, round body, open and closed, steel RIVKLE® / F 13
- B 70201 Blind rivet nuts, countersunk head, round body, open, stainless RIVKLE® / F 13
- B 70202 Blind rivet nuts, countersunk head, round body, open and closed, aluminium alloy RIVKLE® / F 13
- B 70203 Blind rivet nuts, countersunk head, round body, open and closed, brass RIVKLE® / F 13
- B 70300 Blind rivet nuts, flat head, round body, knurled area, open and closed, steel, RIVKLE® / G 13
- B 70400 Blind rivet nuts, countersunk head, round body, knurled open and closed, steel RIVKLE® / H 13
- B 70500 Blind rivet nuts, flat head, hexagonal body, open and closed, steel RIVKLE® / I 13
- B 70501 Blind rivet nuts, flat head, hexagonal body, open,

- aluminium alloy, RIVKLE® / I 13
- DIN 70613 Hexagon head bolt with small width across flats / E 2
- DIN 70614 Hexagon nuts with small width across flats / O 6
- DIN 70615 Hexagon nuts with small width across flats / O 6
- DIN 70617 Hexagon castle and slotted nuts - automobile / X 6
- DIN 70618 Hexagon thin castle nuts - automobile / Y 6
- DIN 70806 Rivet nuts for automobile manufacture / Z 7
- DIN 70851 Groove nuts for automobile manufacture / A 7
- DIN 70852 Groove nuts for automobile manufacture / A 7
- DIN 70952 Locking washers for automobile manufacture / R 9
- B 71100 Blind rivet nuts for thin sheet metal, round body, open, steel, RIVKLE® / K 13
- B 71101 Blind rivet nuts, round, open, with metric and imperial external dimensions, stainless, RIVKLE® / K 13
- B 71200 Blind rivet nuts, hexagonal body, open, steel RIVKLE® / L 13
- B 71300 Blind rivet nuts, part hexagonal shank, open, steel RIVKLE® / M 13
- B 71301 Blind rivet nuts, part hexagonal shank, stainless RIVKLE® / M 13
- B 72100 Blind rivet studs, flat head, round shank, steel, RIVKLE® / N 13
- B 72200 Blind rivet studs, countersunk head, round shank, steel, RIVKLE® / N 13
- DIN 74361 Wheel fixing nuts for automobile manufacture / A 8
- DIN 80701 Butterfly nuts for ship construction / B 8
- DIN 80704 Bow nut / C 8
- DIN 80705 Flat nuts for ship construction / G 6
- B 81100 Quick release fasteners QUICKLOC® 25 / O 13
- B 81200 Quick release fasteners QUICKLOC® 50 / O 13
- B 81400 Quick release fasteners QUICKLOC® 140 / P 13
- B 81500 Quick release fasteners QUICKLOC® 200 / R 13
- B 81600 Quick release fasteners QUICKLOC® 380 / S 13
- DIN 81698 Lifting eye bolts for ship construction / A 3
- B 81800 Quick release fasteners QUICKLOC® 1000 / T 13
- B 81900 Quick release fasteners Special / U 13
- DIN 82013 Round nuts for ship construction / D 8

(Technical alterations without notification)

## DIN - ISO Comparison

|   |     |      |      |      |      |      |
|---|-----|------|------|------|------|------|
|   | 1   | 2339 | 660  | 1051 | 6914 | 7412 |
|   | 7   | 2338 | 661  | 1051 | 6915 | 7414 |
| B | 84  | 1207 | 911  | 2936 | 6916 | 7416 |
|   | 85  | 1580 | 912  | 4762 | 6924 | 7040 |
| B | 94  | 1234 | 913  | 4026 | 6925 | 7042 |
|   | 125 | 7089 | 914  | 4027 | 7343 | 8750 |
| B | 125 | 7090 | 915  | 4028 | 7343 | 8751 |
|   | 126 | 7091 | 916  | 4029 | 7344 | 8748 |
| B | 417 | 7435 | 931  | 4014 | 7346 | 8749 |
|   | 427 | 2342 | 933  | 4017 | 7971 | 1481 |
| B | 433 | 7092 | 934  | 4032 | 7972 | 1482 |
|   | 438 | 7436 | 937  | 7038 | 7973 | 1483 |
| B | 439 | 4035 | 960  | 8765 | 7976 | 1479 |
|   | 439 | 4036 | 961  | 8676 | 7977 | 8737 |
| B | 440 | 7094 | 963  | 2009 | 7978 | 8736 |
|   | 551 | 4766 | 964  | 2010 | 7979 | 8733 |
| B | 553 | 7434 | 965  | 7046 | 7979 | 8735 |
|   | 555 | 4034 | 966  | 7047 | 7981 | 7049 |
| B | 558 | 4018 | 980  | 7042 | 7982 | 7050 |
|   | 580 | 3266 | 1440 | 8738 | 7983 | 7051 |
| B | 601 | 4016 | 1481 | 8752 | 7985 | 7045 |
| B | 603 | 8677 | 6325 | 8734 | 9021 | 7093 |

